

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
 - TEXT CUT OFF AT TOP, BOTTOM OR SIDES
 - FADED TEXT
 - ILLEGIBLE TEXT
 - SKEWED/SLANTED IMAGES
 - COLORED PHOTOS
 - BLACK OR VERY BLACK AND WHITE DARK PHOTOS
-
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

A cross-sectional view of a multilayered substrate 10. The substrate consists of several layers: a top layer 1a with a dotted pattern, a black layer 22a, a hatched layer 23a, a central layer 13 with a dotted pattern, a hatched layer 23b, a black layer 22b, and a bottom layer 1b with a dotted pattern. A circular opening 12 is located in the central layer 13.

The diagram consists of four horizontal lines. Each line has several hexagonal cells attached to it, each containing a circle. Two vertical arrows point upwards, intersecting the horizontal lines. The hexagonal cells are arranged in a staggered pattern across the four lines.

A diagram showing a 4x4 grid of hexagonal cells. Each cell contains a small circle. Four vertical arrows point upwards from the bottom of the grid, passing through the center of each column of cells. The grid is composed of four rows and four columns of these hexagonal cells, with horizontal lines connecting them in each row.

FIG. 3

000E80"442F5960




FIG. 4




FIG. 5

A dark, high-contrast, black and white image showing a heavily textured surface, possibly a book cover or a piece of aged paper. The surface is covered in numerous small, light-colored specks and scratches, giving it a grainy, worn appearance. The lighting is uneven, with brighter areas towards the top and darker areas towards the bottom.

FIG. 7

FIG. 9

000E80" 442T5960




FIG. 10




FIG. 11

000580-4425960



FIG. 8



FIG. 14

000E80" 442T5960




FIG. 12




FIG. 13

000000 44215960




FIG. 15